



## Wenzhou Yinuo Molding Co., Ltd.

Email: [info@mounted-points.com](mailto:info@mounted-points.com)  
Tel: +86 577 8227 0315

Website: <http://www.mounted-points.com>  
WhatsApp: 0086 13681876238

### About Us

---



Wenzhou Yinuo Molding Co., Ltd. is a high-tech company for the design, development and manufacture of mounted points and grinding wheels in China. Our main products aluminum oxide mounted points, silicon carbide mounted points, rubber mounted points, mounted flap wheels, mounted felt wheels, diamond mounted points and internal grinding wheels. We focus on manufacturing mounted points and grinding wheels then shipping products to around the world. We had 10 years of production experience, and our experienced team to manage manufacturing projects and ensure product quality from demand to delivery (inquiry, design, materials, production, package, shipping).

#### Main Products and Service:

1. Aluminum Oxide Mounted Points
2. Silicon Carbide Mounted Points
3. Rubber Mounted Points
4. Diamond Mounted Points
5. Mounted Flap Wheels
6. Mounted Felt Wheels
7. Internal Grinding Wheels



We offer a range of standard shapes internal grinding wheels for your application. And we offer customize mounted points according to customer requirement, such as "A shapes mounted points", "B shapes mounted points" and "W shapes mounted points". It can be mounted on 1/8" shank (3mm shank) or 1/4" shank (6mm shank).

The mounted points and grinding wheels are widely used for internal grinding, precision grinding, finishing and deburring of carbides, glass, ceramics, tool & die, aerospace, automotive, fabrication and jewelry etc. There are many different shapes of mounted points, such as cylindrical shapes, 60-degree cone shapes, oval cone shapes, conical shapes, T shapes, truncated cone shapes, spherical shapes and taper cup shapes etc.



#### Our Advantages:

1. Low cost implementation and cost control: Compared to US and Europe factories, China more than 50% cheaper.
2. We had 10 years of manufacturing experience and the working experience of workers more than three years.
3. Good communication: English-speaking and specialist international trade processes and standards.
4. One-stop Service: Made in China (You'll provide specs, drawings, samples, photos...). We

will manage manufacturing, QA, custom clearance and ship products from China to your port, to your door, or directly to your clients.



# Wenzhou Yinuo Molding Co., Ltd.

Email: [info@mounted-points.com](mailto:info@mounted-points.com)  
Tel: +86 577 8227 0315

Website: <http://www.mounted-points.com>  
WhatsApp: 0086 13681876238

## Aluminum Oxide Mounted Points


### Pink Fused Alumina Mounted Point (PA Mounted Point)



### White Fused Alumina Mounted Point (WA Mounted Point)



### Brown Fused Alumina Mounted Point (A Mounted Point)



#### Descriptions:

**Materials:** Pink Fused Alumina (PA), White Fused Alumina (WA), Brown Fused Alumina (A)

**Shank Diameter:** 3mm or 6mm (full range of standard shapes and sizes)

**Outer Diameter:** Optional

**Height:** Optional

**Shapes:** can be customized on request

#### Main Abrasive Selection Reference Chart:

Variety	Symbol	Application
Pink Aluminum Oxide (Pink Fused Alumina)	PA	For general grinding and coarse grinding the internal tools, gears, and instrument frame of alloy steel, tool steel, and hardened steel.
White Aluminum Oxide (White Fused Alumina)	WA	For fine grinding, dressing, honing, or screw grinding the tools of alloy steel, high speed steel, hardened steel and more. It has advantages of great strength and high hardness.
Brown Aluminum Oxide (Brown Fused Alumina)	A	For carbon steel, alloy steel, malleable castiron, or hard bronze grinding and cutting.



# Wenzhou Yinuo Molding Co., Ltd.

Email: [info@mounted-points.com](mailto:info@mounted-points.com)  
Tel: +86 577 8227 0315

Website: <http://www.mounted-points.com>  
WhatsAPP: 0086 13681876238

## Specifications of Aluminum Oxide Mounted Points

3mm (1/8") Shank Cylindrical Shapes			
Type	Shank Diameter	Outer Diameter	Height
YNA1-3-01	3mm	3mm	7mm
YNA1-3-02	3mm	4mm	10mm
YNA1-3-03	3mm	5mm	11mm
YNA1-3-04	3mm	6mm	12mm
YNA1-3-05	3mm	6mm	20mm
YNA1-3-06	3mm	6mm	26mm
YNA1-3-07	3mm	7mm	20mm
YNA1-3-08	3mm	7mm	26mm
YNA1-3-09	3mm	8mm	15mm
YNA1-3-10	3mm	8mm	20mm
YNA1-3-11	3mm	8mm	26mm
YNA1-3-12	3mm	10mm	15mm
YNA1-3-13	3mm	10mm	20mm
YNA1-3-14	3mm	10mm	25mm
YNA1-3-15	3mm	12mm	16mm
YNA1-3-16	3mm	12mm	20mm

6mm (1/4") Shank Cylindrical Shapes			
Type	Shank Diameter	Outer Diameter	Height
YNA1-6-17	6mm	6mm	25mm
YNA1-6-18	6mm	8mm	25mm
YNA1-6-19	6mm	10mm	25mm
YNA1-6-20	6mm	12mm	25mm
YNA1-6-21	6mm	13mm	25mm
YNA1-6-22	6mm	14mm	25mm
YNA1-6-23	6mm	16mm	25mm
YNA1-6-24	6mm	18mm	25mm
YNA1-6-25	6mm	19mm	25mm
YNA1-6-26	6mm	20mm	25mm
YNA1-6-27	6mm	22mm	25mm
YNA1-6-28	6mm	25mm	25mm
YNA1-6-29	6mm	30mm	25mm

3mm (1/8") Shank Oval Cone Shapes			
Type	Shank Diameter	Outer Diameter	Height
YNA2-3-01	3mm	4mm	10mm
YNA2-3-02	3mm	5mm	11mm
YNA2-3-03	3mm	6mm	12mm
YNA2-3-04	3mm	7mm	20mm
YNA2-3-05	3mm	7mm	26mm
YNA2-3-06	3mm	8mm	15mm
YNA2-3-07	3mm	8mm	20mm
YNA2-3-08	3mm	8mm	26mm
YNA2-3-09	3mm	10mm	15mm
YNA2-3-10	3mm	10mm	20mm
YNA2-3-11	3mm	10mm	25mm
YNA2-3-12	3mm	12mm	20mm
YNA2-3-13	3mm	12mm	26mm

6mm (1/4") Shank Oval Cone Shapes			
Type	Shank Diameter	Outer Diameter	Height
YNA2-6-14	6mm	6mm	25mm
YNA2-6-15	6mm	8mm	25mm
YNA2-6-16	6mm	10mm	25mm
YNA2-6-17	6mm	12mm	25mm
YNA2-6-18	6mm	14mm	25mm
YNA2-6-19	6mm	16mm	32mm
YNA2-6-20	6mm	18mm	36mm
YNA2-6-21	6mm	20mm	40mm
YNA2-6-22	6mm	22.5mm	43mm
YNA2-6-23	6mm	25mm	45mm



# Wenzhou Yinuo Molding Co., Ltd.

Email: [info@mounted-points.com](mailto:info@mounted-points.com)  
Tel: +86 577 8227 0315

Website: <http://www.mounted-points.com>  
WhatsAPP: 0086 13681876238

3mm (1/8") Shank Conical Shapes			
Type	Shank Diameter	Outer Diameter	Height
YNA3-3-01	3mm	4mm	10mm
YNA3-3-02	3mm	5mm	11mm
YNA3-3-03	3mm	6mm	12mm
YNA3-3-04	3mm	8mm	15mm
YNA3-3-05	3mm	10mm	15mm
YNA3-3-06	3mm	12mm	16mm

6mm (1/4") Shank Conical Shapes			
Type	Shank Diameter	Outer Diameter	Height
YNA3-6-07	6mm	6mm	25mm
YNA3-6-08	6mm	8mm	25mm
YNA3-6-09	6mm	10mm	25mm
YNA3-6-10	6mm	12mm	25mm
YNA3-6-11	6mm	14mm	25mm
YNA3-6-12	6mm	16mm	32mm
YNA3-6-13	6mm	18mm	36mm
YNA3-6-14	6mm	20mm	40mm
YNA3-6-15	6mm	25mm	45mm

3mm (1/8") Shank T Shapes			
Type	Shank Diameter	Outer Diameter	Height
YNA4-3-01	3mm	13mm	2mm
YNA4-3-02	3mm	16mm	2mm
YNA4-3-03	3mm	20mm	2mm
YNA4-3-04	3mm	20mm	3mm
YNA4-3-05	3mm	20mm	4mm
YNA4-3-06	3mm	20mm	5mm
YNA4-3-07	3mm	25mm	2mm
YNA4-3-08	3mm	25mm	3mm
YNA4-3-09	3mm	25mm	4mm
YNA4-3-10	3mm	25mm	5mm

6mm (1/4") Shank T Shapes			
Type	Shank Diameter	Outer Diameter	Height
YNA4-6-11	6mm	30mm	6mm
YNA4-6-12	6mm	30mm	8mm
YNA4-6-13	6mm	30mm	10mm
YNA4-6-14	6mm	35mm	6mm
YNA4-6-15	6mm	35mm	8mm
YNA4-6-16	6mm	35mm	10mm
YNA4-6-17	6mm	40mm	6mm
YNA4-6-18	6mm	40mm	8mm
YNA4-6-19	6mm	40mm	10mm

3mm (1/8") Shank Spherical Shapes			
Type	Shank Diameter	Outer Diameter	Height
YNA5-3-01	3mm	3mm	3mm
YNA5-3-02	3mm	4mm	4mm
YNA5-3-03	3mm	5mm	5mm
YNA5-3-04	3mm	6mm	6mm
YNA5-3-05	3mm	8mm	8mm
YNA5-3-06	3mm	10mm	10mm
YNA5-3-07	3mm	12mm	12mm

6mm (1/4") Shank Spherical Shapes			
Type	Shank Diameter	Outer Diameter	Height
YNA5-6-8	6mm	16mm	16mm
YNA5-6-9	6mm	20mm	20mm
YNA5-6-10	6mm	25mm	25mm



## Wenzhou Yinuo Molding Co., Ltd.

Email: [info@mounted-points.com](mailto:info@mounted-points.com)  
Tel: +86 577 8227 0315

Website: <http://www.mounted-points.com>  
WhatsApp: 0086 13681876238

### Silicon Carbide Mounted Points

#### Green Silicon Carbide Mounted Point (GC Mounted Point)



#### Black Silicon Carbide Mounted Point (C Mounted Point)



#### Descriptions:

**Materials:** Green Silicon Carbide (GC), Silicon Carbide (C)

**Shank Diameter:** 3mm or 6mm (full range of standard shapes and sizes)

**Outer Diameter:** Optional

**Height:** Optional

**Shapes:** can be customized on request

#### Main Abrasive Selection Reference Chart:

Variety	Symbol	Application
Green Silicon Carbide	GC	For brittle and hard carbide, glass, gem, and stone grinding and cutting, or super fine grinding.
Black Silicon Carbide	C	For cast iron, non-ferrous steel, and non-metallic material grinding, cutting, or honing.



## Wenzhou Yinuo Molding Co., Ltd.

Email: [info@mounted-points.com](mailto:info@mounted-points.com)  
Tel: +86 577 8227 0315

Website: <http://www.mounted-points.com>  
WhatsApp: 0086 13681876238

### Specifications of Silicon Carbide Mounted Points

3mm (1/8") Shank Cylindrical Shapes			
Type	Shank Diameter	Outer Diameter	Height
YNB1-3-01	3mm	3mm	7mm
YNB1-3-02	3mm	4mm	10mm
YNB1-3-03	3mm	5mm	11mm
YNB1-3-04	3mm	6mm	12mm
YNB1-3-05	3mm	6mm	20mm
YNB1-3-06	3mm	6mm	26mm
YNB1-3-07	3mm	7mm	20mm
YNB1-3-08	3mm	7mm	26mm
YNB1-3-09	3mm	8mm	15mm
YNB1-3-10	3mm	8mm	20mm
YNB1-3-11	3mm	8mm	26mm
YNB1-3-12	3mm	10mm	15mm
YNB1-3-13	3mm	10mm	20mm
YNB1-3-14	3mm	10mm	25mm
YNB1-3-15	3mm	12mm	16mm
YNB1-3-16	3mm	12mm	20mm

6mm (1/4") Shank Cylindrical Shapes			
Type	Shank Diameter	Outer Diameter	Height
YNB1-6-17	6mm	6mm	25mm
YNB1-6-18	6mm	8mm	25mm
YNB1-6-19	6mm	10mm	25mm
YNB1-6-20	6mm	12mm	25mm
YNB1-6-21	6mm	13mm	25mm
YNB1-6-22	6mm	14mm	25mm
YNB1-6-23	6mm	16mm	25mm
YNB1-6-24	6mm	18mm	25mm
YNB1-6-25	6mm	19mm	25mm
YNB1-6-26	6mm	20mm	25mm
YNB1-6-27	6mm	22mm	25mm
YNB1-6-28	6mm	25mm	25mm
YNB1-6-29	6mm	30mm	25mm

3mm (1/8") Shank Oval Cone Shapes			
Type	Shank Diameter	Outer Diameter	Height
YNB2-3-01	3mm	4mm	10mm
YNB2-3-02	3mm	5mm	11mm
YNB2-3-03	3mm	6mm	12mm
YNB2-3-04	3mm	7mm	20mm
YNB2-3-05	3mm	7mm	26mm
YNB2-3-06	3mm	8mm	15mm
YNB2-3-07	3mm	8mm	20mm
YNB2-3-08	3mm	8mm	26mm
YNB2-3-09	3mm	10mm	15mm
YNB2-3-10	3mm	10mm	20mm
YNB2-3-11	3mm	10mm	25mm
YNB2-3-12	3mm	12mm	20mm
YNB2-3-13	3mm	12mm	26mm

6mm (1/4") Shank Oval Cone Shapes			
Type	Shank Diameter	Outer Diameter	Height
YNB2-6-14	6mm	6mm	25mm
YNB2-6-15	6mm	8mm	25mm
YNB2-6-16	6mm	10mm	25mm
YNB2-6-17	6mm	12mm	25mm
YNB2-6-18	6mm	14mm	25mm
YNB2-6-19	6mm	16mm	32mm
YNB2-6-20	6mm	18mm	36mm
YNB2-6-21	6mm	20mm	40mm
YNB2-6-22	6mm	22.5mm	43mm
YNB2-6-23	6mm	25mm	45mm





# Wenzhou Yinuo Molding Co., Ltd.

Email: [info@mounted-points.com](mailto:info@mounted-points.com)  
Tel: +86 577 8227 0315

Website: <http://www.mounted-points.com>  
WhatsAPP: 0086 13681876238

3mm (1/8") Shank Conical Shapes			
Type	Shank Diameter	Outer Diameter	Height
YNB3-3-01	3mm	4mm	10mm
YNB3-3-02	3mm	5mm	11mm
YNB3-3-03	3mm	6mm	12mm
YNB3-3-04	3mm	8mm	15mm
YNB3-3-05	3mm	10mm	15mm
YNB3-3-06	3mm	12mm	16mm

6mm (1/4") Shank Conical Shapes			
Type	Shank Diameter	Outer Diameter	Height
YNB3-6-07	6mm	6mm	25mm
YNB3-6-08	6mm	8mm	25mm
YNB3-6-09	6mm	10mm	25mm
YNB3-6-10	6mm	12mm	25mm
YNB3-6-11	6mm	14mm	25mm
YNB3-6-12	6mm	16mm	32mm
YNB3-6-13	6mm	18mm	36mm
YNB3-6-14	6mm	20mm	40mm
YNB3-6-15	6mm	25mm	45mm

3mm (1/8") Shank T Shapes			
Type	Shank Diameter	Outer Diameter	Height
YNB4-3-01	3mm	13mm	2mm
YNB4-3-02	3mm	16mm	2mm
YNB4-3-03	3mm	20mm	2mm
YNB4-3-04	3mm	20mm	3mm
YNB4-3-05	3mm	20mm	4mm
YNB4-3-06	3mm	20mm	5mm
YNB4-3-07	3mm	25mm	2mm
YNB4-3-08	3mm	25mm	3mm
YNB4-3-09	3mm	25mm	4mm
YNB4-3-10	3mm	25mm	5mm

6mm (1/4") Shank T Shapes			
Type	Shank Diameter	Outer Diameter	Height
YNB4-6-11	6mm	30mm	6mm
YNB4-6-12	6mm	30mm	8mm
YNB4-6-13	6mm	30mm	10mm
YNB4-6-14	6mm	35mm	6mm
YNB4-6-15	6mm	35mm	8mm
YNB4-6-16	6mm	35mm	10mm
YNB4-6-17	6mm	40mm	6mm
YNB4-6-18	6mm	40mm	8mm
YNB4-6-19	6mm	40mm	10mm

3mm (1/8") Shank Spherical Shapes			
Type	Shank Diameter	Outer Diameter	Height
YNB5-3-01	3mm	3mm	3mm
YNB5-3-02	3mm	4mm	4mm
YNB5-3-03	3mm	5mm	5mm
YNB5-3-04	3mm	6mm	6mm
YNB5-3-05	3mm	8mm	8mm
YNB5-3-06	3mm	10mm	10mm
YNB5-3-07	3mm	12mm	12mm

6mm (1/4") Shank Spherical Shapes			
Type	Shank Diameter	Outer Diameter	Height
YNB5-6-8	6mm	16mm	16mm
YNB5-6-9	6mm	20mm	20mm
YNB5-6-10	6mm	25mm	25mm



## Wenzhou Yinuo Molding Co., Ltd.

Email: [info@mounted-points.com](mailto:info@mounted-points.com)  
Tel: +86 577 8227 0315

Website: <http://www.mounted-points.com>  
WhatsApp: 0086 13681876238

### Rubber Mounted Points

---



#### Descriptions:

**Materials:** White Fused Alumina, Silicon Carbide

**Shank Diameter:** 3mm or 6mm (full range of standard shapes and sizes)

**Outer Diameter:** Optional

**Height:** Optional

**Shapes:** can be customized on request

Variety	Symbol	Application
Green Silicon Carbide	GC	For brittle and hard carbide, glass, gem, and stone grinding and cutting, or super fine grinding.
White Aluminum Oxide (White Fused Alumina)	WA	For fine grinding, dressing, honing, or screw grinding the tools of alloy steel, high speed steel, hardened steel and more. It has advantages of great strength and high hardness.





## Wenzhou Yinuo Molding Co., Ltd.

Email: [info@mounted-points.com](mailto:info@mounted-points.com)  
Tel: +86 577 8227 0315

Website: <http://www.mounted-points.com>  
WhatsAPP: 0086 13681876238

### Specifications of Rubber Mounted Points

3mm (1/8") Shank Cylindrical Shapes			
Type	Shank Diameter	Outer Diameter	Height
YNC1-3-01	3mm	3mm	20mm
YNC1-3-02	3mm	4mm	20mm
YNC1-3-03	3mm	5mm	20mm
YNC1-3-04	3mm	6mm	20mm
YNC1-3-05	3mm	8mm	20mm
YNC1-3-06	3mm	10mm	20mm
YNC1-3-07	3mm	12mm	20mm

6mm (1/8") Shank Cylindrical Shapes			
Type	Shank Diameter	Outer Diameter	Height
YNC1-6-08	6mm	14mm	28mm
YNC1-6-09	6mm	16mm	28mm
YNC1-6-10	6mm	18mm	28mm
YNC1-6-11	6mm	20mm	28mm
YNC1-6-12	6mm	25mm	28mm

3mm (1/8") Shank Oval Cone Shapes			
Type	Shank Diameter	Outer Diameter	Height
YNC2-3-01	3mm	3mm	20mm
YNC2-3-02	3mm	4mm	20mm
YNC2-3-03	3mm	5mm	20mm
YNC2-3-04	3mm	6mm	20mm
YNC2-3-05	3mm	8mm	20mm
YNC2-3-06	3mm	10mm	20mm
YNC2-3-07	3mm	12mm	20mm

6mm (1/8") Shank Oval Cone Shapes			
Type	Shank Diameter	Outer Diameter	Height
YNC2-6-08	6mm	14mm	28mm
YNC2-6-09	6mm	16mm	28mm
YNC2-6-10	6mm	18mm	28mm
YNC2-6-11	6mm	20mm	28mm
YNC2-6-12	6mm	25mm	28mm

3mm (1/8") Shank T Shapes			
Type	Shank Diameter	Outer Diameter	Height
YNC3-3-01	3mm	20mm	3mm
YNC3-3-02	3mm	20mm	4mm
YNC3-3-03	3mm	20mm	5mm
YNC3-3-04	3mm	22mm	3mm
YNC3-3-05	3mm	22mm	4mm
YNC3-3-06	3mm	22mm	5mm
YNC3-3-07	3mm	25mm	3mm
YNC3-3-08	3mm	25mm	4mm
YNC3-3-09	3mm	25mm	5mm

6mm (1/8") Shank T Shapes			
Type	Shank Diameter	Outer Diameter	Height
YNC3-6-17	6mm	38mm	6mm
YNC3-6-18	6mm	38mm	8mm
YNC3-6-19	6mm	38mm	10mm



# Wenzhou Yinuo Molding Co., Ltd.

Email: [info@mounted-points.com](mailto:info@mounted-points.com)  
 Tel: +86 577 8227 0315

Website: <http://www.mounted-points.com>  
 WhatsApp: 0086 13681876238

## Electroplated Diamond Mounted Points



### Descriptions:

**Materials:** Synthetic Diamond Alloy with Big Sand or Small Sand Available

**Shank Diameter:** 2.35mm, 3mm or 6mm (full range of standard shapes and sizes)

**Outer Diameter:** Optional

**Height:** Optional

**Shapes:** can be customized on request

### Specifications of 2.35mm Shank Electroplated Diamond Mounted Points



2.35mm Shank Number A		
Type	Shank Diameter	Outer Diameter
YND1-2-01	2.35mm	0.5mm
YND1-2-02	2.35mm	0.8mm
YND1-2-03	2.35mm	1mm
YND1-2-04	2.35mm	1.2mm
YND1-2-05	2.35mm	1.5mm
YND1-2-06	2.35mm	2mm
YND1-2-07	2.35mm	2.5mm
YND1-2-08	2.35mm	3mm
YND1-2-09	2.35mm	4mm
YND1-2-10	2.35mm	5mm
YND1-2-11	2.35mm	6mm

2.35mm Shank Number B		
Type	Shank Diameter	Outer Diameter
YND2-2-01	2.35mm	6mm

2.35mm Shank Number C		
Type	Shank Diameter	Outer Diameter
YND3-2-01	2.35mm	8mm



# Wenzhou Yinuo Molding Co., Ltd.

Email: [info@mounted-points.com](mailto:info@mounted-points.com)  
Tel: +86 577 8227 0315

Website: <http://www.mounted-points.com>  
WhatsApp: 0086 13681876238

2.35mm Shank Number D		
Type	Shank Diameter	Outer Diameter
YND4-2-01	2.35mm	1mm
YND4-2-02	2.35mm	1.2mm
YND4-2-03	2.35mm	1.5mm
YND4-2-04	2.35mm	1.8mm
YND4-2-05	2.35mm	2mm
YND4-2-06	2.35mm	2.5mm
YND4-2-07	2.35mm	3mm
YND4-2-08	2.35mm	4mm
YND4-2-09	2.35mm	6mm

2.35mm Shank Number E		
Type	Shank Diameter	Outer Diameter
YND5-2-01	2.35mm	1mm
YND5-2-02	2.35mm	1.2mm
YND5-2-03	2.35mm	1.5mm
YND5-2-04	2.35mm	1.8mm
YND5-2-05	2.35mm	2mm
YND5-2-06	2.35mm	2.5mm
YND5-2-07	2.35mm	3mm
YND5-2-08	2.35mm	4mm
YND5-2-09	2.35mm	6mm

2.35mm Shank Number F		
Type	Shank Diameter	Outer Diameter
YND6-2-01	2.35mm	1mm
YND6-2-02	2.35mm	1.5mm
YND6-2-03	2.35mm	2mm
YND6-2-04	2.35mm	2.5mm
YND6-2-05	2.35mm	4mm
YND6-2-06	2.35mm	5mm
YND6-2-07	2.35mm	6mm
YND6-2-08	2.35mm	8mm

2.35mm Shank Number G		
Type	Shank Diameter	Outer Diameter
YND7-2-01	2.35mm	0.5mm
YND7-2-02	2.35mm	0.8mm
YND7-2-03	2.35mm	1mm
YND7-2-04	2.35mm	1.5mm
YND7-2-05	2.35mm	2mm
YND7-2-06	2.35mm	2.5mm
YND7-2-07	2.35mm	3mm
YND7-2-08	2.35mm	4mm
YND7-2-09	2.35mm	5mm
YND7-2-10	2.35mm	6mm
YND7-2-11	2.35mm	7mm

2.35mm Shank Number H		
Type	Shank Diameter	Outer Diameter
YND8-2-01	2.35mm	0.5mm
YND8-2-02	2.35mm	0.8mm
YND8-2-03	2.35mm	1mm
YND8-2-04	2.35mm	1.5mm
YND8-2-05	2.35mm	2mm
YND8-2-06	2.35mm	2.5mm
YND8-2-07	2.35mm	3mm
YND8-2-08	2.35mm	4mm
YND8-2-09	2.35mm	5mm
YND8-2-10	2.35mm	6mm
YND8-2-11	2.35mm	7mm

2.35mm Shank Number I		
Type	Shank Diameter	Outer Diameter
YND9-2-01	2.35mm	1mm
YND9-2-02	2.35mm	2mm
YND9-2-03	2.35mm	3mm
YND9-2-04	2.35mm	4mm
YND9-2-05	2.35mm	5mm
YND9-2-06	2.35mm	6mm
YND9-2-07	2.35mm	8mm



# Wenzhou Yinuo Molding Co., Ltd.

Email: [info@mounted-points.com](mailto:info@mounted-points.com)  
Tel: +86 577 8227 0315

Website: <http://www.mounted-points.com>  
WhatsApp: 0086 13681876238

2.35mm Shank Number J		
Type	Shank Diameter	Outer Diameter
YND10-2-01	2.35mm	1.2mm
YND10-2-02	2.35mm	1.5mm
YND10-2-03	2.35mm	2mm
YND10-2-04	2.35mm	2.5mm
YND10-2-05	2.35mm	3mm
YND10-2-06	2.35mm	4mm
YND10-2-07	2.35mm	5mm

2.35mm Shank Number K		
Type	Shank Diameter	Outer Diameter
YND11-2-01	2.35mm	0.8mm
YND11-2-02	2.35mm	1mm
YND11-2-03	2.35mm	1.2mm
YND11-2-04	2.35mm	1.5mm
YND11-2-05	2.35mm	1.8mm
YND11-2-06	2.35mm	2mm
YND11-2-07	2.35mm	2.5mm
YND11-2-08	2.35mm	3mm
YND11-2-09	2.35mm	4mm
YND11-2-10	2.35mm	6mm

2.35mm Shank Number L		
Type	Shank Diameter	Outer Diameter
YND12-2-01	2.35mm	1mm
YND12-2-02	2.35mm	1.5mm
YND12-2-03	2.35mm	2mm
YND12-2-04	2.35mm	3mm
YND12-2-05	2.35mm	4mm
YND12-2-06	2.35mm	6mm

2.35mm Shank Number M		
Type	Shank Diameter	Outer Diameter
YND13-2-01	2.35mm	1mm
YND13-2-02	2.35mm	1.5mm
YND13-2-03	2.35mm	2mm
YND13-2-04	2.35mm	2.5mm
YND13-2-05	2.35mm	3mm
YND13-2-06	2.35mm	4mm
YND13-2-07	2.35mm	5mm
YND13-2-08	2.35mm	6mm
YND13-2-09	2.35mm	7mm
YND13-2-10	2.35mm	8mm

2.35mm Shank Number N		
Type	Shank Diameter	Outer Diameter
YND14-2-01	2.35mm	1mm
YND14-2-02	2.35mm	1.5mm
YND14-2-03	2.35mm	2mm
YND14-2-04	2.35mm	2.5mm
YND14-2-05	2.35mm	3mm
YND14-2-06	2.35mm	4mm




# Wenzhou Yinuo Molding Co., Ltd.

Email: [info@mounted-points.com](mailto:info@mounted-points.com)  
Tel: +86 577 8227 0315

Website: <http://www.mounted-points.com>  
WhatsApp: 0086 13681876238

## Specifications of 3mm and 6mm Shank Electroplated Diamond Mounted Points



3mm(1/8") Shank Cylindrical Shapes		
Type	Shank	Outer Diameter
YNE1-3-01	3mm	4mm
YNE1-3-02	3mm	5mm
YNE1-3-03	3mm	6mm
YNE1-3-04	3mm	8mm
YNE1-3-05	3mm	10mm

6mm(1/4") Shank Cylindrical Shapes		
Type	Shank	Outer Diameter
YNE1-6-06	6mm	6mm
YNE1-6-07	6mm	8mm
YNE1-6-08	6mm	10mm
YNE1-6-09	6mm	12mm
YNE1-6-10	6mm	14mm
YNE1-6-11	6mm	16mm
YNE1-6-12	6mm	18mm
YNE1-6-13	6mm	20mm
YNE1-6-14	6mm	25mm

3mm(1/8") Shank Spherical Shapes		
Type	Shank	Outer Diameter
YNE2-3-01	3mm	4mm
YNE2-3-02	3mm	5mm
YNE2-3-03	3mm	6mm
YNE2-3-04	3mm	8mm
YNE2-3-05	3mm	10mm

6mm(1/4") Shank Spherical Shapes		
Type	Shank	Outer Diameter
YNE2-6-06	6mm	6mm
YNE2-6-07	6mm	8mm
YNE2-6-08	6mm	10mm
YNE2-6-09	6mm	12mm
YNE2-6-10	6mm	14mm
YNE2-6-11	6mm	16mm
YNE2-6-12	6mm	18mm
YNE2-6-13	6mm	20mm
YNE2-6-14	6mm	25mm



# Wenzhou Yinuo Molding Co., Ltd.

Email: [info@mounted-points.com](mailto:info@mounted-points.com)  
Tel: +86 577 8227 0315

Website: <http://www.mounted-points.com>  
WhatsAPP: 0086 13681876238

3mm(1/8") Shank T Shapes (with Thin Edge)		
Type	Shank	Outer Diameter
YNE3-3-01	3mm	4mm
YNE3-3-02	3mm	5mm
YNE3-3-03	3mm	6mm
YNE3-3-04	3mm	8mm
YNE3-3-05	3mm	10mm

6mm(1/4") Shank T Shapes (with Thin Edge)		
Type	Shank	Outer Diameter
YNE3-6-04	6mm	6mm
YNE3-6-05	6mm	8mm
YNE3-6-06	6mm	10mm
YNE3-6-07	6mm	12mm
YNE3-6-08	6mm	14mm
YNE3-6-09	6mm	16mm
YNE3-6-10	6mm	18mm
YNE3-6-11	6mm	20mm

3mm(1/8") Shank Oval Shapes		
Type	Shank	Outer Diameter
YNE4-3-01	3mm	4mm
YNE4-3-02	3mm	5mm
YNE4-3-03	3mm	6mm
YNE4-3-04	3mm	8mm

6mm(1/4") Shank Oval Shapes		
Type	Shank	Outer Diameter
YNE4-6-05	6mm	10mm
YNE4-6-06	6mm	12mm

3mm(1/8") Shank Bowl Shapes		
Type	Shank	Outer Diameter
YNE5-3-01	3mm	4mm
YNE5-3-02	3mm	5mm
YNE5-3-03	3mm	6mm
YNE5-3-04	3mm	8mm

6mm(1/4") Shank Bowl Shapes		
Type	Shank	Outer Diameter
YNE5-6-05	6mm	8mm
YNE5-6-06	6mm	10mm
YNE5-6-07	6mm	12mm

3mm(1/8") Shank Tapered Shapes		
Type	Shank	Outer Diameter
YNE6-3-01	3mm	5mm
YNE6-3-02	3mm	6mm
YNE6-3-03	3mm	8mm

6mm(1/4") Shank Tapered Shapes		
Type	Shank	Outer Diameter
YNE6-6-03	6mm	8mm
YNE6-6-04	6mm	10mm






## Wenzhou Yinuo Molding Co., Ltd.

Email: [info@mounted-points.com](mailto:info@mounted-points.com)  
Tel: +86 577 8227 0315

Website: <http://www.mounted-points.com>  
WhatsApp: 0086 13681876238

### Mounted Flap Wheels (Abrasive Flap Wheels)



#### Descriptions:

**Materials:** Emery Cloth (Sandpaper)

**Adhesives:** Resin Bond

**Shank Diameter:** 3mm or 6mm (full range of standard shapes and sizes)

**Outer Diameter:** 8mm, 10mm, 12mm, 14mm, 16mm, 20mm, 25mm, 30mm, 40mm, 50mm, 60mm, 80mm

### Specifications of Mounted Flap Wheels (Abrasive Flap Wheels)

3mm(1/8") Shank Mounted Flap Wheels		
Type	Shank Diameter	Outer Diameter
YNF1-3-01	3mm	8mm
YNF1-3-02	3mm	10mm
YNF1-3-03	3mm	12mm
YNF1-3-04	3mm	14mm

6mm(1/4") Shank Mounted Flap Wheels		
Type	Shank Diameter	Outer Diameter
YNF1-6-05	6mm	16mm
YNF1-6-06	6mm	20mm
YNF1-6-07	6mm	25mm
YNF1-6-08	6mm	30mm
YNF1-6-09	6mm	40mm
YNF1-6-10	6mm	50mm
YNF1-6-11	6mm	60mm
YNF1-6-12	6mm	80mm



# Wenzhou Yinuo Molding Co., Ltd.

Email: [info@mounted-points.com](mailto:info@mounted-points.com)  
Tel: +86 577 8227 0315

Website: <http://www.mounted-points.com>  
WhatsApp: 0086 13681876238

## Mounted Felt Wheels (Felt Polishing Bobs)



### Descriptions:

**Materials:** Wools

**Shank Diameter:** 3mm

**Outer Diameter:** 3mm, 4mm, 5mm, 6mm, 8mm, 10mm, 12mm, 14mm, 16mm, 18mm, 20mm

**Shapes:** can be customized on request.

**Shank Diameter:** 6mm

**Outer Diameter:** 20mm, 25mm, 30mm, 35mm, 40mm

**Shapes:** can be customized on request.

## Specifications of Mounted Felt Wheels (Felt Polishing Bobs)

3mm(1/8") Shank Cylindrical Shapes		
Type	Shank Diameter	Outer Diameter
YNG1-3-01	3mm	3mm
YNG1-3-02	3mm	4mm
YNG1-3-03	3mm	5mm
YNG1-3-04	3mm	6mm
YNG1-3-05	3mm	8mm
YNG1-3-06	3mm	10mm
YNG1-3-07	3mm	12mm
YNG1-3-08	3mm	14mm
YNG1-3-09	3mm	16mm
YNG1-3-10	3mm	18mm
YNG1-3-11	3mm	20mm

6mm(1/4") Shank Cylindrical Shapes		
Type	Shank Diameter	Outer Diameter
YNG1-6-12	6mm	20mm
YNG1-6-13	6mm	25mm
YNG1-6-14	6mm	30mm
YNG1-6-15	6mm	35mm
YNG1-6-16	6mm	40mm



## Wenzhou Yinuo Molding Co., Ltd.

Email: [info@mounted-points.com](mailto:info@mounted-points.com)  
Tel: +86 577 8227 0315

Website: <http://www.mounted-points.com>  
WhatsApp: 0086 13681876238

3mm(1/8") Shank Oval Cone Shapes		
Type	Shank Diameter	Outer Diameter
YNG2-3-01	3mm	3mm
YNG2-3-02	3mm	4mm
YNG2-3-03	3mm	5mm
YNG2-3-04	3mm	6mm
YNG2-3-05	3mm	8mm
YNG2-3-06	3mm	10mm
YNG2-3-07	3mm	12mm
YNG2-3-08	3mm	14mm
YNG2-3-09	3mm	16mm
YNG2-3-10	3mm	18mm
YNG2-3-11	3mm	20mm

6mm(1/4") Shank Oval Cone Shapes		
Type	Shank Diameter	Outer Diameter
YNG2-6-12	6mm	20mm
YNG2-6-13	6mm	25mm
YNG2-6-14	6mm	30mm
YNG2-6-15	6mm	35mm
YNG2-6-16	6mm	40mm

6mm(1/4") Shank T Shapes		
Type	Shank Diameter	Outer Diameter
YNG3-6-01	6mm	20mm
YNG3-6-02	6mm	25mm



## Wenzhou Yinuo Molding Co., Ltd.

Email: [info@mounted-points.com](mailto:info@mounted-points.com)  
Tel: +86 577 8227 0315

Website: <http://www.mounted-points.com>  
WhatsApp: 0086 13681876238

### Internal Grinding Wheels



#### Descriptions:

**Materials:** Aluminum Oxide, Silicon Carbide

**Outer Diameter:** 6mm - 100mm

**Height:** 6mm - 100mm

**Inside Diameter:** 4mm - 20mm

**Shapes:** can be customized on request.

**Application:** Mainly used for machining a workpiece hole expanded to a precise size, and reach to surface roughness request.

Variety	Symbol	Application
Pink Aluminum Oxide (Pink Fused Alumina)	PA	For general grinding and coarse grinding the internal tools, gears, and instrument frame of alloy steel, tool steel, and hardened steel.
White Aluminum Oxide (White Fused Alumina)	WA	For fine grinding, dressing, honing, or screw grinding the tools of alloy steel, high speed steel, hardened steel and more. It has advantages of great strength and high hardness.
Brown Aluminum Oxide (Brown Fused Alumina)	A	For carbon steel, alloy steel, malleable castiron, or hard bronze grinding and cutting.
Green Silicon Carbide	GC	For brittle and hard carbide, glass, gem, and stone grinding and cutting, or super fine grinding.
Black Silicon Carbide	C	For cast iron, non-ferrous steel, and non-metallic material grinding, cutting, or honing.